

Ralli Wolf

Power Tools | Welding Equipment | Air Tools | Motors | Farm Equipment



Ralli Wolf®

www.ralliwolf.com

DRILL

Ratti Wolf

COMPACT DRILL 12110 10mm

235V - 50Hz

550 Watts, 0-2500 r.p.m.,
Variable / Reversible, 1.9 Kg.



PLAIN DRILL RD10 10mm

235V - 50HZ

500 Watts, Variable & Reversible,
0-2800 r.p.m., 1.3 kg.



ROTARY DRILL RW10 10mm

235V - 50HZ

650 Watts, 1250 r.p.m.,
1.7 kg. (Supply is without chuck)



SCREW DRIVER DRILL RWSD10 10mm

235V - 50HZ

400W, 0-750r/min,
1.7Amps., 20+1, 1.3kg



IMPACT DRILL RW13 13mm

235V - 50HZ

650 Watts, 1800 r.p.m., 2 kg.
Also suitable for skirt polisher.



IMPACT DRILL 16130 13mm 18130 13mm

235V - 50HZ

550 Watts, 0-2650 r.p.m.,
Variable & Reversible, 1.8 kg.
700 Watts, 0-2800 r.p.m.,
Variable & Reversible, 2 kg.



PROFESSIONAL IMPACT DRILL KIT RDK13 13mm

235V - 50HZ

Variable & Reversible,
500 Watts, 0-3000 r.p.m.,
0-48000 BPM, 4 kg.



CONCRETE VIBRATOR RWCV35-3

235V - 50HZ

1100W, 4400r/min, 35mm,
3M, 5Amps., Double insulated, 2.4kg



CONCRETE VIBRATOR RWCV35

235V

850W, 4000 r.p.m., 35mm,
1.5M, 3.7 Amps, 2kg.



ELECTRIC MIXER RPM16 120mm

235V - 50HZ

1000W, 1000r/min,
M12, 4.5Amps., 3.5kg



PROFESSIONAL IMPACT WRENCH RW300-I

235V - 50HZ

450W, 2600r.p.m.
300N.m, 1/2" 2 Amps, 3.3kg.



12V CORDLESS DRIVER DRILL RCD12V

12V, 1500Mah, 10mm/15mm
0-400/0-1450r/min, 25Nm, 0.8 kg.



18V CORDLESS DRIVER DRILL RCD18V

18V, 1500Mah, 10mm/15mm
0-400/0-1450r/min, 30Nm, 1.1 kg.



21V CORDLESS IMPACT WRENCH RIW21V

21V, M10-M32, 380N.m,
4000mAh,



HAMMERS

Ratti Wolf

PROFESSIONAL ROTARY HAMMER RW22H 22mm

235VAC - 50Hz

650, 0-850 RPM,
0-3900 BPM, 1.5J,
22mm, 2.9Amps., 2.7kg.



PROFESSIONAL ROTARY HAMMER RW22-3M 22mm

NEW

235VAC - 50Hz

800W, 0-1400 RPM,
0-4400 BPM, 2.2 J,
22mm, 2.6 Amps., 2.5kg



PROFESSIONAL ROTARY HAMMER RW26H 26mm, SDS Plus

235VAC - 50Hz

800W, 3.4Amps
0-4900 BPM, 3J
Variable & Reversible
0-1100 /min, 3.1kg.



DEMOLITION HAMMER RW-5EH 5kg

235VAC - 50Hz

1200 Watts, 1400 BPM
4100 / min-1, 10J, 6.07kg.



DEMOLITION HAMMER RW11EH 11kg

235VAC - 50Hz

1500 Watts, 1300 BPM
120-250 / min, 6-25J, 11kg.



DEMOLITION HAMMER RW15H 15kg

235VAC - 50Hz

1500W, 1850 BPM
45 J, 6.38A, 15kg



GRINDER

DIE GRINDER RDG25 6mm

235V / 115V - 50Hz

6mm (collet), 420 Watts
25000 r.p.m., 1.9kg.



DIE GRINDER RDG600 6mm

235V - 50Hz

6mm (collet), 550 Watts
27000 r.p.m., 1.5kg.



LIGHT DUTY ANGLE GRINDER 25100 100mm

235V - 50Hz

ø100xø16x5.5mm, 650 Watts
M10, 11000 r.p.m., 1.6kg.



ANGLE GRINDER RG8-100 100mm

235V / 115V-50Hz

ø100xø16x6mm, 850 Watts,
M10, 10500 r.p.m., 3.7kg.



ANGLE GRINDER RF9-100 100mm

NEW

235V

ø100xø16x5.5mm, 900 Watts,
M10, 11000 r.p.m., 3.6A, 1.7kg.



ANGLE GRINDER RWG610E 100mm

NEW

235V

ø100xø16x5.5mm, 750 Watts,
M10, 11000 r.p.m., 3.2A, 1.5kg.



ANGLE GRINDER AG100 100mm

235V / 115V - 50Hz

ø100xø16x6mm, 1020 Watts,
M10, 10500 r.p.m., 2kg.



ANGLE GRINDER 45100 100mm

235V - 50Hz

ø100xø16x5mm, 850 Watts
M10, 11000 r.p.m., 1.6kg.



GRINDERS

Rat Wolf

LIGHT DUTY ANGLE GRINDER

35135 125mm

235V / 115V-50Hz



ø125xø22x5.5mm, 1350 Watts
M14, 9000 r.p.m., 3.1 kg.



LIGHT DUTY ANGLE GRINDER

AG125 125mm

235V AC -50Hz



NEW

ø125xø22x6mm, 1020 Watts
M14, 10500 r.p.m., 4.8A, 2kg.



ANGLE GRINDER

60145 125mm

235V - 50Hz



NEW

Electronic overload protection, Soft start feature,
1400W, 3000-11000r/min, 22.2mm,
M14, 7.6Amps., 2.8kg



ANGLE GRINDER

45125H 125mm

235V - 50Hz



ø125xø22.23x6mm, 850 Watts
M14, 11000 r.p.m., 1.8 kg.



ANGLE GRINDER

55145 125mm

235V - 50Hz



ø125xø22.0x5.5mm, 1400Watts,
M14, 10000 r.p.m., 3.2 kg



ANGLE GRINDER

22180 180mm /
24180 180mm

235V - 50Hz



ø180xø22x5.5mm, 2200 W/2400 W,
M14, 8500 r.p.m., 4.62 kg./ 5.91 kg.



ANGLE GRINDER

AG180 180mm /
AG230 230mm

235V - 50Hz



ø180xø22x5.5mm / ø230xø22x5.5mm, m14
2400 Watts, 8500 r.p.m. / 6800 r.p.m., 5.1 kg.



ANGLE GRINDER

55180 180mm

235V - 50Hz



ø180xø22x5.5 mm, 2200 Watts
M14, 8400 r.p.m., 5.1 kg.



ANGLE GRINDER

77180 180mm /
77230 230mm

235V - 50Hz



ø180xø22x5.5 mm / ø230xø22x5.5 mm, M14
2500 Watts, 8200 r.p.m. / 6500 r.p.m., 5.4 kg.



ANGLE GRINDER

77180M 180mm /
77230M 230mm

220V / 235V



ø180xø22x5.5 mm/ø230xø22x5.5 mm, M14
2500 W, 8000 r.p.m./6500 r.p.m., 5.9 kg.



DIAMOND CORE DRILL

DIAMOND CORE DRILL

RDD110

NEW



12-110mm, 230V,
2080W, 2100 r.p.m.

CHOP SAW

RW14E 355mm /
23355 355mm

235V / 115V - 50Hz

355 mm, 2300 Watts
3900 r.p.m., 17.2 kg./
17kg./15.9 kg.



DIAMOND CORE DRILL

RDD200

NEW



15-205mm, 230V,
3900W, 580 r.p.m.

CUT-OFF SAW

RC14D

235V - 50Hz

D handle and soft start
355 mm, 2600 Watts
3900 r.p.m., 11A, 18 kg.



BLOWER

Rath Wolf

ELECTRIC BLOWER RB60V / RB500

235V AC



3.8 m³/min, 600 Watts, 2.55A
6000-16000 r.p.m., 1.8kg./1.8kg.

ELECTRIC BLOWER RB500PRO

235V AC



3.8 m³/min, 600 Watts, 2.55A
16000 r.p.m., 1.6 kg.

WOOD WORKING

CIRCULAR SAW RS180 NEW 180mm

235V - 50Hz



1300 Watts, 5000 r.p.m., 4.2 kg.

CIRCULAR SAW RCS180 180mm

235V - 50Hz



1400 Watts, 5800 r.p.m., 5.5 kg.

PLANER RW2-82 2-82mm 28200 82X2mm

235V



82mmX2mm, 710 W /
500 W, 15000 r.p.m., 4 kg. / 2.6 kg.

ROUTER RW8-12 6mm, 8mm, 12mm RW-RT12 12mm

235V / 115V



1600 Watts / 1800Watts
23000 r.p.m., 6.1 kg. / 4.1 kg.

TRIMMER RT6 6mm / 6.35mm

235V - 50Hz

600W, 30000 RPM
6mm/6.35mm, 2.6Amps., 1.9kg



JIG SAW RJS60 60mm

235V AC50HZ

600W, 26mm (1"), 500-3000 spm
2.55A, 2.5kg



MARBLE CUTTER

MARBLE CUTTER RW4 110mm RW110 110mm

235V - 50Hz

Double Insulated, 235V AC, 1050 Watts,
13000 r.p.m., 4.5A, 3.2 kg.
1050 Watts, 14000 r.p.m., 3 kg.



MARBLE CUTTER RW4-SB 110mm

235V - 50Hz

1200 Watts, 11000 r.p.m., 3 kg.



OTHERS

MARBLE CUTTER RW125-FB 125mm / RW125-TB 125mm

235V - 50Hz

1300 Watts, 13000 r.p.m., 3.4 kg.
Options: Fixed / Tilted type base plate



HEAT GUN RG2100 2000W

235V - 50Hz

2000W, 8.5 A
1-2, 1- 350°C / 2-550°C, 0.6 kg



HIGH PRESSURE WASHER RHP100

235V

1400 Watts, 100 Bar
330 L/h, 4 kg



1600W INDUSTRIAL QUALITY HIGH PRESSURE WASHER RHP130

Induction Motor, 130 Bar, 480 L/H
230V AC, 1600W, 12 kg.



LIGHT DUTY DRILL

EG2C 6mm /
EJ3C 10mm

235V / 115V -50Hz

6mm / 10mm, 235 Watts,
2800 r.p.m. / 700 r.p.m., 2 kg. / 2.3 kg.

HEAVY DUTY DRILL

WD2C 6mm /
WD3C 10mm /
WD34C 13mm

235V / 115V -50Hz

6mm / 10mm / 13mm, 475 Watts / 550 Watts /
500 Watts, 2400 r.p.m. / 1000 r.p.m. / 550 rpm,
3.1 kg. / 3.6 kg / 3.9 kg

LIGHT DUTY DRILL

SD4C 13mm

235V / 115V -50Hz

13mm, 435 Watts
700 r.p.m., 4.4 kg.

HEAVY DUTY DRILL

14130 13mm

235V / 115V -50Hz

750 Watts, 750 r.p.m., 4.4 kg.



TWO SPEED DRILL

TS35C 10mm/16mm

235V / 115V -50Hz

10mm / 16mm, 600 Watts
1380 r.p.m. / 560 r.p.m., 5.4 kg.

HEAVY DUTY DRILL

WDH / WDH12
13mm to 23mm

235V / 115V -50Hz

13mm to 23mm, 595/1200 Watts
560 r.p.m./450 r.p.m., 7 kg./ 7.2 kg.

HEAVY DUTY DRILL

WDHC /
WDHC12 20mm
(Chuck Model)

235V-50Hz

20mm, 595 Watts/1200 Watts
560 r.p.m./ 450 r.p.m., 8.2 kg./ 8.4 kg

HEAVY DUTY DRILL

NW8 25mm /
NW10 31mm

235V -50Hz

25mm/31mm, 660 Watts/850 Watts
380 r.p.m./280 r.p.m., 9.9 kg / 10 kg.

HIGH SPEED GRINDER

HSG / HSG BR 6mm

235V / 115V-50Hz

6mm (collet), 300 Watts/500 Watts
16000 r.p.m./20000 r.p.m., 1.9 kg

FLEXIBLE SHAFT GRINDER

FF2 Two Speed /
FSG2 Single Speed

- 235V / 115V-50Hz

6mm (collet), 370 Watts
1200/11500 r.p.m./ 12800 r.p.m.
5.4 kg./4.9 kg

STRAIGHT GRINDER

GQ4 / GQ4 BR11 /
36100 / GQ6

235V / 115V

ø100xø20x12.7mm, 775W / 1100W
5000 r.p.m. / 5600 r.p.m., 5.6 kg. / 6.5kg
ø100xø20x12.7mm, 1000W, 5800 r.p.m., 5.1kg.
ø150xø25x15.9mm, 1200W, 5600 r.p.m., 9.2kg.

LATHE GRINDER

GL3 75mm

235V / 115V

ø75xø13 x19mm, 400 Watts, 8000 r.p.m.
(ext grinding) / 19000 r.p.m., (int grinding), 9.8 kg.

ANGLE GRINDER

AG7 180mm /
AG9 230mm

235V

ø180xø22x6mm / ø230xø22x6mm, 2200 Watts,
M14, 7000 r.p.m. / 5600 r.p.m., 9.5 kg.

BENCH GRINDER

TG6 1ph & 3ph

235V (1ph) /
440V (3ph)ø150xø16x12.7 mm, 265 Watts / 285 Watts
2950 r.p.m., 12.2 kg. / 12 kg

**SINGLE SPEED AIR BLOWER
NWB**

235V

1.5 m³/min, 350 Watts
308 kmph, 4.5 kg.



**TWO SPEED AIR BLOWER
77750**

235V

2.0 m³/min / 1.6 m³/min, 750 Watts /
450 Watts, 400 kmph / 315 kmph, 3.4 kg.



**VERTICAL SANDER
VSM 180mm**

235V

180mm, 500 Watts
2200 r.p.m., 5.4 kg.



**HORIZONTAL SANDER
HS7AR / HS7BR 180mm**

235V

180mm, 600 Watts/1000 Watts
4200 r.p.m./ 5200 r.p.m., 5.2 kg./ 5.7 kg.



**PORTABLE TAPPING MACHINE
TP8 3mm-10mm**

235V

3mm to 10mm, 450 Watts
550 r.p.m., 3.9kg.



**MAGNETIC CORE DRILL
YUVA38**

38mmx50mm

220 / 230 V

1300W, 700r/min, 12000N,
8Amps. 38mm dia x 50mm depth
13mm, Grounding (to earth), 13 kg



**MAGNETIC CORE DRILL
ENOVA 40 40mmx50mm**

235V

40mm diax50mm depth,
1200 Watts, 400 r.p.m.,
1100 KGF, 165mmx80mm, 13.2 kg.



**MAGNETIC CORE DRILL
COMMANDO 40S**

40mmx50mm

235V

40mm diax50mm depth,
1100 Watts, 270-610 r.p.m.,
8000N, 165mmx80mm, 13.6 kg.



**MAGNETIC CORE DRILL
MEGA - 45**

45mmx50mm

220V

Core Drill 12mm-45mm
Cutting Depth 50mm,
1380 Watts, 100-470 r.p.m.,
16500 N, Moser Taper - MT2
Stroke - 210mm, 19 kg.



**MAGNETIC CORE DRILL
COMMANDO 50**

50mmx50mm

235V

50mm Dia x 50mm depth,
1500 Watts, 100-265 r.p.m.,
200-500 r.p.m., 13500 N,
200mmx98mm, 15.8 kg.



**PERMANENT MAGNET CORE
CUTTING DRILL 50mm
COMMANDO 50PM**

235V

50mm dia x 50mm depth,
1500 Watts, 100-265 RPM,
200-500 RPM, 8430 N
2770mm x 190mm
110V/18kg / 230V/17.7kg



**LOW PROFILE MAGNETIC
DRILL 50mm
COMMANDO 50LP**

235V

50mmX 50mm, 30mm*
250-500RPM, 1200W, 10000N
L-334mm, H-179mm, W-100mm
192mm x 82mm, 11kg, 62mm



**MAGNETIC CORE DRILL
NW 50S 50mmx50mm**

235V

50mm dia x 50mm depth
1600 Watts, 450 r.p.m.,
1500 KGF, 200mmx100mm, 31 kg.



**MAGNETIC CORE DRILL
COMMANDO 75**

75mmx75mm

235V

75mm dia x 75mm depth
1800 Watts, 70-180 r.p.m.,
200-500 r.p.m., 18500 N,
220mmx114mm, 23 kg.



MAGNETIC CORE DRILLS

Ratti Wolf

MAGNETIC CORE DRILL COMMANDO 100 (NEW)

100mmx100mm
235V

100mm dia x 100mm depth
2000 Watts, 45-129 r.p.m.,
70-208 r.p.m., 140-434 r.p.m.,
240-700 r.p.m., 20000 N,
228mmx114mm, 24.8 kg.



MULTIFUNCTION MAGNETIC DRILL MEGA-150

150mmx150mm
235V

150mm, 57mm ,M50
3080W, 40-100rpm(1),
70-180rpm(2), 180-450rpm(3),
290-720rpm (4), 24500N
30.5Kg.



CUTTERS



TCT SERIES CUTTER



35mm, Dia- 14 to 50mm



50 mm, Dia- 14 to 66mm.

M2 HIGH SPEED STEEL CUTTERS



25mm, Dia- 11 to 52mm



50mm, Dia- 12 to 65mm.

WELDING EQUIPMENTS

ARC WELDER - ARC200 (ECO200N) (IGBT Series)

AC230V±15%, 6KVA, 58V
10-200A, 43.6A, 0.73
60%, 394 x 152 x 292mm, 6kg



ARC SERIES - ARC250 (ECO-250) (IGBT Technology, Single PCB Design)

230V ± 15%, 1Ph, 50/60, 36
8.3, 66, 20 - 250, 60
0.93, 85%, IP21, 6, 450x160x303



ARC SERIES - ARC200 (RA20) (with MOSFET)

220V ± 15% 1ph, 30-200A
0.73, 80%, 8 kg



ARC SERIES - ARC200 (WA-20) (Light weight)

230V±15%, 1Ph, 50Hz,
34, 7.9, 20-200, 63, 60, 85, 0.7,
IP21S, F, 282 x 113 x 200, 4.1 kg



MIG/MAG SERIES (with MMA) MIG250 (RM25)

415V ±15% 3ph,
50-250A
0.93, 85%, 18 kg



AIR PLASMA CUTTING CUT60G (RC60)

415V± 15% 3ph,
20-60A, 0.93, 85%,
1-15 mm, 19 kg



** For complete range please refer separate catalogue for WELDING EQUIPMENT or visit our website.*

PNEUMATIC TOOLS

Air Die Grinder PG-1101H

1/4", 28000 r.p.m., 6.3 mm,
3.5 cfm, 160mm, 0.4 kg



Air Screw Driver SD-5MA

5 - 7 mm, 9000 r.p.m. 25-30 N. m.,
2.0 cfm, 190mm, 0.7 kg



Air Micro Die Grinder DG-56

3 mm, 56000 r.p.m., 1/4", 7.0 cfm
5 mm, 156 mm, 0.2 kg



Composite Impact Wrench IW-1281 (1/2" Sq. Drive)

1/2", 5/8" (16mm), 1000FT-LB, 10000 r.p.m.,
5.4 cfm, 1/4", 10mm, 193 mm, 2.2 kg



PNEUMATIC TOOLS

Raili Wolf

Dust Free Orbital Sander OS-303

5" velcro type,
10,000 r.p.m.
1/4", 3/8", 12 cfm
5 mm, 0.9 kg



Pneumatic Concrete Breaker CB 117 / CB1210

540mm / 740mm,
1400BPM / 1200 BPM
6BAR, 25x108mm / 32x160mm,
22Kg./ 37kg



Industrial Aie Die Grinder DG 6-35

6mm, 35000 r.p.m., 165mm
1/4" NPT, 0.45 Kg.



Pneumatic Chipping Hammer CH3

Blower 2100 per min.,
Length of Stroke 76.2
1.2 BSP, 6.5 Kg.



Pneumatic Bench Sand Rammer BSR1

Blows 850 per min.,
Length 530mm
Stroke 102mm,
3/8" NPT, 5.7Kg.



Pneumatic Heavy Duty Straight Grinder SG 150

150mmx25mm
6000 r.p.m., 1/2" BSP
5.5 Kg.



** For complete range please refer separate catalogue for AIR TOOLS or visit our website.*

STANDS & ATTACHMENT

MAGNETIC DRILL STANDS


Suitable for Mounting
WDH / WDHC / WDH12/WDHC12 /
NW8/NW10



MECHANICAL STANDS

ES 1 For EG2C/EJ3C,
ES 3 for NW8 / NW10

ES 14 For WD2C, WD3C,
WD34C, SD4C & TS35C
ES 23 for WDH / WDHC



MOTORS

ATTACHMENT



Internal Grinding Attachment,
IGA, Suitable for GL3



Flexible Shaft 10 FD
Suitable for FF2/FSG2

UMG 5



PMDC 58 / 59



UMG 27



PMG 20



** For complete range please refer separate catalogue for MOTORS or visit our website.*

FARM EQUIPMENT

GASOLINE WATER PUMP RP30 3"

6.5HP, 76mm,
7M, 28M, 3600 r.p.m.



GASOLINE EARTH AUGER ED52D / ED63D

1E44F / 1E48F,
1.45KW/2.2KW,
52CC/63CC, 6500 r.p.m.




CHAIN SAW RS58

2 stroke, single cylinder, 50.8 CC, 2.2 kwx,
9000 r/min, 20"/ 22 "/ 24", 5.8 kg



GASOLINE BRUSH CUTTER BC-52 (2 STROKE) BC-38BP / BC-43SP (4 STROKE)

1E44F 2 Stroke, 1.45 KW
51.7CC, 6500 r.p.m.
G35 4 Stoke, 0.85 KW,
35.8CC, 6500 r.p.m.



THERMAL FOGGER RF01 MINI

2 Ltr., Butane Gas,
5-30 Microns, 1.4 kg



THERMAL FOGGER RF02 AUTO

6 Ltr., 10-50 Microns,
18.5 KW, 9 kg



** For complete range please refer separate catalogue for AGRI EQUIPMENT or visit our website.*

Ralli Wolf Industries Ltd.

An ISO 9001 : 2015 certified Organisation

Regd Office : 4 Fairlie Place, Kolkata – 700 001, India,
E : info@ralliwolf.com

Works : G-104, MIDC Area, Ahmednagar - 414 111, Maharashtra, India,
P : +91 24127 79887 **E :** works@ralliwolf.com

Customer Care : P : +91 81000 80353 | E : customercare@ralliwolf.com

Sales Network : Ahmedabad, Bangalore, Baroda, Bhopal, Bhilai, Chennai, Coimbatore, Cuttack, Delhi, Gurgaon, Guwahati, Indore, Jaipur, Jamshedpur, Kolkata, Ludhiana, Lucknow, Mumbai, Nagpur, Pune, Raipur, Secunderabad, Siliguri, Trichy, Vishakhapatnam



follow us :



* The pictures and specification are only for reference.

Notes : *110V can be made available on select models for MOQ

- * Machines with Deadman switch are available on request for certain models.
- * For pneumatic tools - Air pressure required is 90 Bars.
- * Oil lubrication is must for all the tools before starting the operation.



Double
Insulation



Side
Handle



Adjustable
Speed



Reversible
Operation



Impact



SDS
PLUS



Light
Weight



Soft
Start



Auto Stop
C/B



Spindle
Lock



SDS
MAX

Due to continuous R & D, actual product supplied may differ the data shape and colour contained herein. The catalogue supersedes all earlier catalogues.

01092023